

MAGNUM BR SOD HARVESTER PARTS MANUAL



Bucyrus Equipment Co., Inc.
Box 156, 209 Central Ave.
Hillsdale, Ks 66036
1-800-330-0857
www.magnumenp.com

RE-ORDER NUMBER: BRPTSMANUAL
REVISION: BRM-100017



MAGNUM BR SOD HARVESTER PARTS MANUAL

The purpose of this manual is for parts identification of the Magnum BR sod harvester. This manual is not to be used for assembly. This manual includes parts lists and illustrations of all available replacement parts for the Magnum BR harvesters. A table of contents is placed at the beginning of the manual for location of specific parts. Keep this manual available for reference in the shop area.

At the time of publication all information contained in this manual was technically correct. However, all materials and specifications are subject to change without notice.

Comments and suggestions about this manual may be directed to: Bucyrus Equipment Co., Inc., PO Box 156-209 Main, Hillsdale, KS 66036. Phone 1-800-330-0857

©Copyright 2005 BECI. All information contained within this publication is based on the latest product information at the time of publication. Due to constant improvements in the design and quality of production components, some minor discrepancies may result between the actual vehicle and the information presented in this publication. Depictions and/or procedures in this publication are intended for reference use only. No liability can be accepted for omissions or inaccuracies. Any reprinting or reuse of the depictions and/or procedures contained within, whether whole or in part, is expressly prohibited. Printed in U.S.A.

TABLE OF CONTENTS

Section 1	32/42/48 Floating Heads
Section 2	42/48 Solid Heads / Coulter Option
Section 3	30 Solid Heads / Coulter Option
Section 4	Depth Control
Section 5	1st & 2ND Conveyor
Section 6	Wheel and Cooler
Section 7	Electrical Components
Section 8	Hydraulics
Section 9	Increaser Pump
Section 10	Dual Kit
Section 11	Decals

FLOATING HEADS

Contents	
Description	Page
Anti-Vibe Heads / Undercarraige	1.2 – 1.8
Undercarriage Components	1.9 – 1.10
Non-Anti-Vibe Right Head Components	1.11 – 1.16
Non-Anti-Vibe Left Head Components	1.17 – 1.22
Strip Cut, Set-up Instructions	1.23
Blades	1.24

FLOATING HEADS

Anti-Vibe Heads - Parts List

ITEM	QTY	PART NUMBER	DESCRIPTION
1	1	1A100C (42BR & 48BR) 1A100C-32 (32BR)	Left head frame
2	1	1A100D (42BR & 48BR) 1A100D-32 (32BR)	Right head frame
3	6	15369	Cap screw 3/4-10 X 4 grade 8
4	6	37274	Locknut ¾"-10
5	1	1W006 (420) 1W006-48 (480)	Undercarriage
6	18	37015	Locknut 10-32
7	6	30224-2	Spherical bearing
8	6	1W007	Retainer
9	18	23169	Screw 10-32 X 1 1/4
10	12	1P008	Spacer - obsolete, not required with 30224-2
11	1	DS80-X	Hydraulic motor
12	1	CH100	Coupling half
13	1	CH114	Coupling half
14	1	CC416	Coupling chain
15	1	WDRF1/4X1	Woodruff key
16	1	40-2	Master link
17	8	13827	Cap screw-5/8"-11 X 2"
18	8	33819	Flat washer- 5/8"
19	1	HDRL100	Shaft
20	2	P48-14M-40	Sprocket
21	1	1778-14M-40HT200	Right belt
22	4	P2B-SCM-115	Pillow block bearing
23	1	S1000	Drive shaft
24	2	200-1200	Universal joint
25	1	HDRL100	Shaft
26	1	38718	Cap screw- 12-1.75 X 100 mm
27	1	P2B-ASSY	Idler pulley
28	1	1610-14M-40HT200	Left belt
29	2	XO32	Spacer
30	8	33012	Flat washer - ½"
31	2	2517X2 1/2 KW	Taper-lock bushing
32	6	25663	Screw, included with #31 above
33	1	SC110	Motor Plate
34	4	33895	Lock washer – ½"
35	4	1140309	Nut - 12-1.75 mm
36	4	RW1100	Bumper mounting bracket
37	4	13157	Cap screw - 7/16-14 X 1.25
38	4	MRG1608	Bumper
39	4	33895	Lock washer – ½" high alloy
40	4	36310	Nut – ½"-13 grade 5
41	2	110120380	Cap screw – ½"-13 X 1.5" grade 5
42	2	33817	Flat washer – ½" SAE
43	1	HDR201	Right head plate
44	1	HDR200	Left head plate

FLOATING HEADS

Anti-Vibe Heads - Parts List

ITEM	QTY	PART NUMBER	DESCRIPTION
45	2	33897	Lock washer – 5/8" high alloy
46	2	36314	Nut – 5/8"-11 grade 5
47	1 Pair	STDA100	Electric depth control assy. (individual components listed under ELECTRIC DEPTH CONTROL section)
48	4/head	36310	Nut – 1/2"-13 grade 5
49	4/head	33893	3/8" Zinc Finish High Alloy Lock Washer
50	1/head	S1822 (420) S1822-48 (480)	Top Shaft
51	2/head	PB118-BECI	Pillow block bearing- modified
52	4/head	13212	1/2"-13 x 2-1/4" Zinc Finish Grade 5 Cap Screw
53	2/head	1B011	Adjustment handle
54	2/head	1 1/2inKEYSTOCK	Square key – 1.5" long
55	2/head	13220	1/2"-13 x 4-1/4" Grade 5 Zinc Finish Cap Screw
56	2/head	37268	1/2"-13 Zinc Finish Grade C Top Lock Nut
57	2/head	1P006	Eccentric cam
58	2/head	1P007	Arm plate
59	2/head	1P005	Eccentric cam cover
60	2/head	1P004	Cutter arm
61	8/head	33893	3/8" Zinc High Alloy Medium Split Lock Washer
62	8/head	13107	3/8"-16 x 1-1/4" Zinc J429 Grade 5 Cap Screw
63	8/head	33859	3/8" Zinc Finish USS Thru-Hardened Flat Washer
64	6/head	33893	3/8" Zinc Finish High Alloy Split Lock Washer
65	6/head	13105	3/8"-16 x 1" Zinc Finish J429 Grade 5 Cap Screw
66	8/head	13107	3/8"-16 x 1-1/4" Zinc J429 Grade 5 Cap Screw
67	4/head	B6205	Wrist shaft bearing
68	2/head	1P003	Bearing block
69	4/head	TR244	Snap ring
70	4/head	B6305	Bearing
71	2/head	1P002	Connecting rod
72	2/head	1P002-BLK	Connecting rod cap
73	4/head	13113	3/8" - 16 X 2.5" Grade 5 Cap Screw
74	4/head	36306	3/8"-16 Zinc Finish Grade 5 Finished Hex Nut
75	2/head	PB200	Pillow block bearing-long head (right head)
	2/head	PB200-BECI	Pillow block bearing-short head (left head)
76	4/head	33863	5/8" Zinc Finish USS Thru-Hardened Flat Washer
77	4/head	13319	5/8"-11 x 4" Grade 5 Zinc Finish Hex Cap Screw
78	2/head	13217	1/2"-13 x 3-1/2" Grade 5 Zinc Finish Cap Screw
79	2/head	13216	1/2"-13 X 3.25" cap screw grade 5
80	1	S1821 (420)	Left head wrist shaft
	1	S1820 (420)	Right head wrist shaft
80	1	S1821-48 (480)	Left head wrist shaft
	1	S1820-48 (480)	Right head wrist shaft
81	4/head	36314	5/8"-11 Zinc Finish Grade 5 Finished Hex Nut
82	4/head	33897	5/8" Zinc Finish High Alloy Split Lock Washer
83	1/head	S2015	Eccentric shaft
84	1/head	2012X2	Taper-lock bushing

FLOATING HEADS

Anti-Vibe Heads - Parts List


ITEM	QTY	PART NUMBER	DESCRIPTION
85	3/head	25636	7/16-14 7/8" long set screw. Included with 84
86	1/head	P30-14M-40	Sprocket
87	4/head	36310	1/2"-13 Zinc Finish Grade 5 Finished Hex Nut
88	4/head	33895	1/2" Zinc Finish High Alloy Split Lock Washer
89	4/head	33012	1/2" Zinc Finish USS Flat Washer
90	8/head	13003	1/4"-20 x 3/4" Grade 5 Zinc Finish Hex Cap Screw
91	2/head	PL100	Spring hinge
92	3	1B812 (42)	Scraper 8 1/2"
	1	1B800 (42)	Scraper 8"
92	1	1B812-48L (48)	Scraper 10", Left
	2	1B812-48R (48)	Scraper 10", Right
	1	1B800-48 (48)	Scraper 9"
93	8/head	33891	1/4" Zinc Finish High Alloy Split Lock Washer
94	4/head	36302	1/4"-20 Zinc Finish Grade 5 Finished Hex Nut
95	1/head	3A7000N	Ground roller pedestal
96	1/head	X028S	Ground roller shaft
97	2/head	37264	3/8 - 16 lock nut
98	8/head	30422	Lug nut
99	3	1W004 (420)	Ground roller 8 1/2"
	1	1W005 (420)	Ground roller 8"
99	3	1W004-48 (480)	Ground roller 10"
	1	1W005-48 (480)	Ground roller 9"
100	2/head	078WASH	Machine washer
101	2/head	045WASH	Machine washer
102	2/head	30421H	Hub
103	2/head	13115	3/8"-16 x 3" Zinc Finish J429 Grade 5 Cap Screw
104	8/head	1136408	7/16"-14 Zinc Finish Grade 8 Finished Hex Nut
105	2/head	FC108	Flange bearing
106	4/head	13213	1/2"-13 x 2-1/2" Grade 5 Zinc Finish Cap Screw
107	4/head	33012	1/2" Zinc Finish USS Flat Washer
108	1	1A901	Left head shield
109	1	1A902	Right head shield
110		Blades See Page 1.8	Cutter Blades

Repair Kits


AA	1	11188319	Seal kit for DS80-X hydraulic motor
----	---	----------	-------------------------------------



FLOATING HEADS




FLOATING HEADS




FLOATING HEADS

NOTE: LEFT HEAD SHOWN
ON RIGHT HEAD, LEFT HAND SIDE ONLY,
ITEM #60 BOLTS ONTO THE INSIDE OF ITEM #58



FLOATING HEADS




FLOATING HEADS

Non-Anti-Vibe Heads - Parts List

ITEM	QTY	PART NUMBER	DESCRIPTION
1	1	1A100C (42BR & 48BR) 1A100C-32 (32BR)	Right Head Frame
2	1	1A100D (42BR & 48BR) 1A100D-32 (32BR)	Left Head Frame
3			
4	1	1W006 (42BR) 1W006-48 (48BR) 1W006-30 (32BR)	Undercarriage
5	6	30224-2	Spherical bearing
6	6	1W007	Retainer
7	12	1P008	Spacer
8	18	23169	#10-32x1-1/4" Black Oxide Alloy Steel Socket Cap Screw
9	6	11369	3/4"-10 x 4" Zinc Finish ASTM A307A Hex Bolt
9	6	37274	Top LK 3/4-10 GR C
9	6	33864	3/4" Washer
10	8	110120380	1/2"-13x1-1/2" Zinc Fin SAE J429 Gr 5 Hex Cap Screw


FLOATING HEADS



FLOATING HEADS

Non-Anti-Vibe Heads - Right Head - Parts List			
ITEM	QTY	PART NUMBER	DESCRIPTION
1	1	1A100C (42BR & 48BR) 1A100C-32 (32BR)	Right Head Frame
2	4	13105	3/8" x 1" Bolt
3	1	8A23R0	Motor Bracket
4	1	H2026	Hydraulic motor w/ case drain
5	2	2404-10-8	Hydraulic fitting
6	1	H-15	Pressure hose
7	1	H-17	Pressure hose
8	1	CH100	Coupling half
9	1	CC416	Coupling chain
10	1	CH114	Coupling Half
11	1	SH800	Sheave
12	1	RBP44-3	V-belt
13	1	S1414	Shaft
14	1	BU114	Bushing
15	4	13212	1/2"-13 x 2-1/4" Zinc Finish SAE J429 Grade 5 Hex Cap Screw
	4	33012	1/2" Zinc Finish USS Flat Washer
	4	37268	1/2"-13 Zinc Finish Grade C Top Lock Nut
16	2	PB114	Bearing
17	1	1A901-SH	Belt shield
18	1	FG6801-06-04	Hydraulic fitting
19	1	H-4	Case drain hose
20	2	RW1100	Bumper mount
21	2	MRG1608	Bumper mount
22	4	15210	1/2"-13 x 1-3/4" Grade 8 Yellow Zinc Finish Hex Cap Screw
23	2	13159	7/16"-14 x 1-1/2" Grade 5 Zinc Finish Hex Cap Screw
	2	33816	7/16" Yellow Zinc Finish SAE Thru-Hardened Flat Washer
	2	37266	7/16"-14 Grade C Zinc Finish Steel Top Lock Nut
24	2	1 1/2inKEYSTOCK	1/4" Square Key stock
25	1	40-2	Coupling Chain Master link
Repair Kit			
	1	60540-000	Seal kit for H2026 Hydraulic Motor

Right Head




FLOATING HEADS

Non-Anti-Vibe Heads - Right Head - Parts List			
ITEM	QTY	PART NUMBER	DESCRIPTION
1	1	1A100C (42BR & 48BR) 1A100C-32 (32BR)	Right Head Frame
2	1	BU200	Bushing
3	4	13319	5/8"-11 x 4" Grade 5 Zinc Finish Hex Cap Screw
	4	37272	5/8"-11 LOCK NUT
	8	33863	5/8" Yellow Zinc Finish USS Thru-Hardened Flat Washer
4	2	PB200	Bearing
5	4	B6305	Ball bearing
6	4	15113	3/8"-16 x 2-1/2" Grade 8 Yellow Zinc Finish Hex Cap Screw
	4	33859	3/8" Yellow Zinc Finish USS Thru-Hardened Flat Washer
	4	37264	3/8"-16 Zinc Finish Grade C Top Lock Nut
7	2	1P002-BLK	Block (connecting rod)
8	2	1P002	Connecting rod
9	4	TR244	Snap Ring
10	1	RBP44-3	Uni-belt
11	8	13003	1/4"-20 x 3/4" Grade 5 Zinc Finish Hex Cap Screw
	8	33891	1/4" Zinc Finish High Alloy Split Lock Washer
	4	36302	1/4"-20 Zinc Finish Grade 5 Finished Hex Nut
12	2	PL100	Spring hinge
13	1	1B800 (42BR) 1B800-48 (48BR) 1B800-32 (32BR)	Scraper Blade
14	2	FC108	Flange bearing
15	2	30421H (42BR & 48BR) 30421H-32 (32BR)	4-hole hub
16	4	13166	7/16"-14x3-1/4" Zinc Finish SAE J429 Gr 5 Hex Cap Screw
17	1	1W004 (42BR) 1W004-48 (48BR) 1W004-32 (32BR)	Ground roller
18	2	37264	3/8"-16 Zinc Finish Grade C Top Lock Nut
19	8	30422	Lug nut
20	2	13115	3/8"-16 x 3" Zinc Finish SAE J429 Grade 5 Hex Cap Screw
21	4	13211	1/2"-13 x 2" Grade 5 Zinc Finish Hex Cap Screw
	8	33012	1/2" Zinc Finish USS Flat Washer
	4	37268	1/2"-13 Zinc Finish Grade C Top Lock Nut
22	1	3A7000N (42BR & 48BR) 30700N32-R (32BR)	Ground roller spindle mount
23	1	SH460	Sheave
24	1	S2015	Eccentric shaft
25	1	1W005 (42BR) 1W005-48 (48BR) 1W005-32 (32BR)	Ground Roller
26	1	1B812 (42BR) 1B812-48R (48BR) 1B812-32R (32BR)	Scraper blade
27	2	078WASH	0.045" x 1.5" Mach. Washer
28	1	X028 (42BR) X028-48 (48BR) X028-32 (32BR)	Ground roller shaft
29	4	1136408	7/16"-14 Yellow Zinc Finish Grade 8 Finished Hex Nut

FLOATING HEADS

30			
31	4	33012	1/2" Zinc Finish USS Flat Washer
32	2	045WASH	0.045" x 1/5" Mach. washer


Right Head



FLOATING HEADS

Non-Anti-Vibe Heads - Right Head - Parts List			
ITEM	QTY	PART NUMBER	DESCRIPTION
1	1	1A100C (42BR & 48BR) 1A100C (32BR)	Right head
2	1	RR10C	Clean-cut blade
		RR10S	Strip-cut blade
		RR10T	Thick-cut blade
3	6	13055	5/16"-18 x 1" Grade 5 Zinc Finish Hex Cap Screw
	6	33858	5/16" x 0.875" OD Thru-Hard Yel Zinc Fin USS Flat Washer
	6	37262	5/16"-18 Grade C Zinc Finish Steel Top Lock Nut
4	1	S1820 (42BR) S1820-48 (48BR) S1820-32 (32BR)	Wrist shaft
5	8	13109	3/8"-16 x 1-1/2" Zinc Finish SAE J429 Grade 5 Hex Cap Screw
	8	33893	3/8" Yellow Zinc Finish High Alloy Medium Split Lock Washer
6	2	1P003	Bearing block
7	4	B6205	Ball Bearing
8	8	13105	3/8"-16 x 1" Zinc Finish SAE J429 Grade 5 Hex Cap Screw
	8	33893	3/8" Yellow Zinc Finish High Alloy Medium Split Lock Washer
9	2	1P004	Cutter arm
10	6	13105	3/8"-16 x 1" Zinc Finish SAE J429 Grade 5 Hex Cap Screw
	6	33893	3/8" Yellow Zinc Finish High Alloy Medium Split Lock Washer
11	2	1P005	Eccentric cam cover plate
12	1	S1822 (42BR) S1822-48 (48BR) S1822-32 (32BR))	Shaft
13	1	1B011	Adjusting arm
14	4	13217	1/2"-13 x 3-1/2" Grade 5 Zinc Finish Hex Cap Screw
	8	33012	1/2" Zinc Finish USS Flat Washer
	4	37268	1/2"-13 Zinc Finish Grade C Top Lock Nut
15	2	PB118	Bearing
16	2	1P006	Eccentric cam
17	2	1P007	Arm plate
18	2	13219	1/2"-13 x 4" Grade 5 Zinc Finish Hex Cap Screw
	2	37268	1/2"-13 Zinc Finish Grade C Top Lock Nut
19	2	1 1/2inKEYSTOCK	1/4" Square Key stock


Right Head



FLOATING HEADS

Non-Anti-Vibe Heads - Left Head - Parts List			
ITEM	QTY	PART NUMBER	DESCRIPTION
1	1	1A100D (42BR & 48BR) 1A100D-32 (32BR)	Left head
2	4 4	13105 33893	3/8"-16x1" Zinc Finish SAE J429 Grade 5 Hex Cap Screw 3/8" Yel Zinc Finish High Alloy Medium Split Lock Washer
3	1	8A23L0	Motor bracket
4	1	H2026	Hydraulic motor
5	2	2404-10-8	Hydraulic fitting
6	1	H-15	Pressure hose
7	1	H-17	Pressure hose
8	1	CH100	Coupling half
9	1	CC416	Coupling chain
10	1	CH114	Coupling half
11	1	SH800	Sheave
12	1	RBP44-3	V-belt
13	1	S1414	Shaft
14	1	BU114	Bushing
15	4 8 4 4	13213 33012 33895 37268	1/2"-13 x 2 1/2" CAPSCREW PT 1/2" Zinc Finish USS Flat Washer 1/2" LOCK WASHER 1/2"-13 Zinc Finish Grade C Top Lock Nut
16	2	PB114	Bearing
17	1	1A901-SH	Belt shield
18	2	RW1100	Bumper mount
19	2	MRG1608	Bumper
20	2	1 1/2inKEYSTOCK	1/4" Square Key stock
21	1	40-2	Chain Coupling Master Link
Parts List			
	1	60540-000	Seal Kit for H2026 Hydraulic Motor


Left Head



FLOATING HEADS

Non-Anti-Vibe Heads - Left Head - Parts List			
ITEM	QTY	PART NUMBER	DESCRIPTION
1	1	1A100D (42BR & 48BR) 1A100D-32 (32BR)	Left head
2	1	BU200	Bushing
3	4 8 4	13319 33863 37272	5/8"-11 x 4" Grade 5 Zinc Finish Hex Cap Screw 5/8" Yellow Zinc Finish USS Thru-Hardened Flat Washer 5/8"-11 Grade C Zinc Finish Steel Top Lock Nut
4	2	PB200	Bearing
5	4	B6305	Ball bearing
6	4 4 4	15113 33859 37264	3/8"-16 x 2-1/2" Grade 8 Yellow Zinc Finish Hex Cap Screw 3/8" Yellow Zinc Finish USS Thru-Hardened Flat Washer 3/8"-16 Zinc Finish Grade C Top Lock Nut
7	2	1P002-BLK	Block (connecting rod)
8	2	1P002	Connecting rod
9	4	TR244	Snap Ring
10	1	RBP44-3	Uni-belt
11	8 8 4	13003 33891 36302	1/4"-20 x 3/4" Grade 5 Zinc Finish Hex Cap Screw 1/4" Zinc Finish High Alloy Split Lock Washer 1/4"-20 Zinc Finish Grade 5 Finished Hex Nut
12	2	PL100	Spring hinge
13	2	1B812 (42BR) 1B812-32L (32BR)	Scraper Blade
13	1	1B812-48L (48BR)	Scraper Blade
	1	1B812-48R (48BR)	Scraper Blade
14	4	13166	7/16"-14x3-1/4" Zinc Finish SAE J429 Gr 5 Hex Cap Screw
15	2	30421H (42BR & 48BR) 30421H-32 (32BR)	4 hole hub
16	4	1136408	7/16"-14 Yellow Zinc Finish Grade 8 Finished Hex Nut
17	2	1W004 (42BR) 1W004-48 (48BR) 1W004-32 (32BR)	Ground roller
18	2	078WASH	0.078" X 1.5" Mach. Washer
19	8	30422	Lug nut
20	2	FC108	Flange bearing
21	4 8 4	13211 33012 37268	1/2"-13 x 2" Grade 5 Zinc Finish Hex Cap Screw 1/2" Zinc Finish USS Flat Washer 1/2"-13 Zinc Finish Grade C Top Lock Nut
22	1	3A7000N (42BR & 48BR) 3A7000N32-L (32BR)	Ground roller
23	1	X028 (42BR) X028-48 (48BR) X028-32 (32BR)	1 1/2" x 23" shaft
24	1	SH460	Sheave
25	1	S2015	Eccentric shaft
26	2	31115	3/8"-16 x 3" Zinc Finish SAE J429 Grade 5 Hex Cap Screw
27			
28	2	045WASH	0.045" x 1.5" Mach. Washer
29	2	37264	3/8"-16 Zinc Finish Grade C Top Lock Nut.

Left Head




FLOATING HEADS

Non-Anti-Vibe Heads - Left Head - Parts List

ITEM	QTY	PART NUMBER	DESCRIPTION
1	1	1A100D (42BR & 48 BR) 1A100D-32 (32BR)	Left Head Frame
2	1	RR10C	Clean-cut blade
		RR10S	Strip-cut blade
		RR10T	Thick-cut blade
3	6	13055	5/16"-18 x 1" Grade 5 Zinc Finish Hex Cap Screw
	6	37262	5/16"-18 Grade C Zinc Finish Steel Top Lock Nut
	6	33858	5/16"x0.875" Thru-Hard Yel Zinc Finish USS Flat Washer
4	1	S1821 (42BR & 48BR) S1821-32 (32BR)	Shaft
5	8	13109	3/8"-16x1-1/2" Zinc Fin SAE J429 Gr 5 Hex Cap Screw
	8	33893	3/8" Yellow Zinc Finish High Alloy Med Split Lock Washer
6	2	1P003	Bearing block
7	4	B6205	Ball Bearing
8	8	13105	3/8"-16x1" Zinc Finish SAE J429 Grade 5 Hex Cap Screw
	8	33893	3/8" Yellow Zinc Finish High Alloy Med Split Lock Washer
9	2	1P004	Cutter arm
10	6	13105	3/8"-16x1" Zinc Finish SAE J429 Grade 5 Hex Cap Screw
	6	33893	3/8" Yellow Zinc Finish High Alloy Med Split Lock Washer
11	2	1P005	Eccentric cam cover plate
12	1	S1822 (42BR)	Shaft
		S1822-48 (48BR)	
		S1822-32 (32BR)	
13	1	1B011	Adjusting arm
14	4	13217	1/2"-13 x 3-1/2" Grade 5 Zinc Finish Hex Cap Screw
	8	33012	1/2" Zinc Finish USS Flat Washer
	4	37268	1/2"-13 Zinc Finish Grade C Top Lock Nut
15	2	PB118	Bearing
16	2	1P006	Eccentric cam
17	2	1P007	Arm plate
18	2	13219	1/2"-13 x 4" Grade 5 Zinc Finish Hex Cap Screw
	2	37268	1/2"-13 Zinc Finish Grade C Top Lock Nut
19	2	1 1/2inKEYSTOCK	1/4" Square Key stock


Left Head



Strip Cut, Setup Instructions


RIGHT HEAD EXTENSION

CLEAN CUT



MOVE THE BLADE
AND PLACE SPACERS
AS SHOWN.

STRIP CUT




3/8" x 1-1/4"
BOLTS

CUTTER ARM
STRIP CUT SPACER
BLADE

LEFT HEAD EXTENSION


CLEAN CUT



SPACER-BLOCK GOES BETWEEN
CUTTER ARM & ARM PLATE
(7/8")

SQUARE ROLLERS WITH
CUTTER BLADES

STRIP CUT




MOVE CUTTER ARMS
TO INSIDE OF ARM PLATES

CONNECTING ROD BOLTS
MUST BE LOOSENED TO SHIFT
ASSEMBLY TO THE LEFT




MOVE GROUND ROLLERS
TO LEFT (7/8")

FLOATING HEADS



REG. CUT BLADES
RR10C-XX



QUICK HITCH BLADES
RR10CQH-XX



STRIP CUT BLADES
RR10S-XX



This image shows a full page of blank, lined paper. It features approximately 28 evenly spaced horizontal black lines across its entire width, typical of standard notebook paper. The background is a solid off-white color, and there are no margins, text, or other markings present.